




SECURE
F E N C I N G

Leaders in Fencing Machinery


FULLY AUTO CHAINLINK FENCE MACHINE



KNUCKLE



TWIST



MACHINE DETAILS

1. ELECTRIC PANEL
2. WIRE PAY-OFF STAND-250 KG CAPACITY
3. CUTTING MACHINE
4. WEAVING MACHINE-HEAVY DUTY
BREAK MOTOR + GEAR
5. LOCK PART
6. AUTO ROLLER
7. COMPACTOR (Optional)

POWER

1. POWER REQUIRED 10 HP
2. NO OF MOTORS 8

ACCESSORIES

1. MOULDS-(30, 40, 50, 55, 60, 75, 80, 100, 110 MM)
2. PROFESSIONAL TOOL KIT
3. OIL DISPENSER
4. WHEELS & SPARES
5. SENSOR
6. RELAY
7. GLOVES
8. MAGNETS

SAFETY & CONTROL

1. 5.5 KW EXTRA TRANSFORMER
2. REMOTE CONTROL
3. MITSUBISHI PLC CONTROL
4. SCHNEIDER ELECTRICALS


TECHNICAL SPECIFICATIONS

1. SPACE REQUIRED - 6 X 5 MTR
2. MESH SIZE - 30 MM TO 110 MM
3. WIRE DIA
 - GI - 2 TO 4.5 MM
 - PVC - 3 TO 6 MM
 - SS - 2 TO 4 MM
4. ROLL SIZE - 1 X 3 MTR

PRODUCTION PER HOUR

1. 4MM :- 150-170 KG/ HOUR
2. 3.5MM :- 130-150 KG/ HOUR
3. 3MM :- 100-120 KG/ HOUR
4. 2.5MM :- 75 - 85 KG/ HOUR
5. 2MM :- 50 - 60 KG/ HOUR

SEMI AUTO CHAINLINK FENCE MACHINE



MACHINE DETAILS

1. ELECTRIC PANEL (Fully Auto Type)
2. WIRE PAY-OFF STAND-250 KG CAPACITY
3. CUTTING MACHINE
4. WEAVING MACHINE-HEAVY DUTY
BREAK MOTOR + GEAR

SAFETY & CONTROL

1. 5.5 KW EXTRA TRANSFORMER
2. REMOTE CONTROL
3. MITSUBISHI PIC CONTROL
4. SCHNEIDER ELECTRICALS

POWER

1. POWER REQUIRED 8 HP
2. NO OF MOTORS 3

PRODUCTION PER HOUR

1. 4MM :- 155-170 KG/ HOUR
2. 3.5MM :- 135-150 KG/ HOUR
3. 3MM :- 115-130 KG/ HOUR
4. 2.5MM :- 90 - 95 KG/ HOUR
5. 2MM :- 65 -70 KG/ HOUR


ACCESSORIES

1. MOULDS-(30, 40, 50, 55, 60,
75, 80, 100 MM)
2. TOOL KIT
3. OIL DISPENSER
4. WHEELS & SPARES
5. SENSOR
6. RELAY
7. GLOVES
8. MAGNETS

TECHNICAL SPECIFICATIONS

1. SPACE REQUIRED - 6 X 1.5 MTR
2. MESH SIZE - 32 MM TO 110 MM
3. WIRE DIA
 - GI - 2 TO 4.5 MM
 - PVC - 3 TO 6 MM
 - SS - 2 TO 4 MM
4. ROLL SIZE - 1 X 3 MTR

WELDED WIRE MESH MACHINE (MATRIX MODEL)



MACHINE DETAILS

1. MACHINE SIZE :- 6FT / 7FT
2. MAIN WELDING MACHINE
3. ELECTRIC PANEL
4. AUTO CROSS WIRE FEEDING SYSTEM
5. AUTO COILING SYSTEM
6. CROSS WIRE PAY-OFF STAND
7. WORKING PLATFORM
8. REPAIR WELDING TABLE WITH COILER

TECHNICAL SPECIFICATIONS

1. MESH SIZE - 26 MM (26, 52, 78, 102, 128) MM
2. WIRE DIA
 - GI - 1.5 TO 2.8 MM
 - HB - 1.2 TO 2.2 MM
3. TRANSFORMERS :- 5/6 X 85 KVA
4. POWER CONSUMPTION : 50 - 55 KW


PRODUCTION PER HOUR

1. 26MM :- 300 - 350 RUNING FT.
 2. 102MM :- 750 - 800 RUNING FT.
- VARIES AS PER DIFFERENT MESH SIZE.

APPLICATION

1. INDUSTRIAL ROOFING INSULATIONS
2. WARE HOUSE FLOURING
3. AGRICULTURE LAND FENCING
4. COOLER PANELS
5. SMALL CAGES
6. PARTITIONS ETC.

DOUBLE GEAR



ABOUT US

Secure Fencing was established in 2006 and its parent company " Shri Veera Industries " which has a trust of over 44 years.

Secure Fencing is a professional manufacturer & suppliers with a unique product portfolio covering the entire range of Chainlink Fence Machine, Welded Wire Mesh Machine & Wire Mesh Products. **We take pride in modernizing the entire fencing industry through automation process.** Automation in fencing industry has consolidated Secure fencing, position as the **leaders in Fencing Machinery.**

Our Pan India network and our efficient Customer Relationship Management (CRM) System, allows us to meet the market demand accordingly. With use of best Servo Motor & Motion Control System & with Robust Design, our machines can be operational for continuous 24 hours.



500+
Machines Installed

Training Provided to Run Our Machines

It Increase The Productivity & Minimize The Cost

Technical Support Provided
Within 24 Hours

We Use Best Servo Motor & Motion Control System

Robust Design For Continuous
24 hours Operation

12 Months Warranty

**Contact Us :- 9350000500, 9811506012, 9873346780,
9953404096, 011-45045846**

Email : securefencingproducts@gmail.com

Website : www.securefencingproducts.com

www.chainlinkmachine.in

Head Office :

**P-40, Sector-5, Bawana
Industrial Area,
New Delhi-110039.**

Works:

**No-18, 19 Bhuvaneshwari
Nagar, Vadaperumpakkam
Chennai - 600060
+91 - 7339373637**

**Manufacturing Unit :
Beijing, China**